

#### DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT

Field Office MiMaRoPa Region 1680 F.T. Benitez corner Malvar Sts., Malate, Manila

# 1680 F.T. Benitez corner Malvar Sts., Malate, Manil REQUEST FOR QUOTATION

RFQ No. 2023-10-1315 NP-SVP October 19, 2023 Company Name Company Address Contact Person Contact No Email Address Company TIN PhilGEPS Reg. No. Sir/Madam: Please quote your government price/s including delivery charges, VAT or other applicable taxes, and other incidental expenses for the goods listed in Annex A. Failure to indicate information could be basis for non-compliance. Also, furnish us with descriptive brochures, catalogues, literatures and/or samples, if applicable. If you are exclusive manufacturer, distributor, or agent in the Philippines for goods listed in Annex A, please attach in your quotation a duly notarized certification to this effect Additionally, please attach copies of your Company's Business Permit, Mayor's Permit, PCAB License (if applicable), PhilGEPS Certificate, latest Income/Business Tax Return and a notarized or unnotarized Omnibus Sworn Statement in accordance with the attached format marked as Annex B. If awarded , please submit immediately the duly notarized Omnibus Sworn Statement (if previously submitted is unnotarized. The Certificate of Platinum Membership maybe submitted in lieu of the Mayor's /Business Permit and PHILGEPS Registration Number. Please accomplish and submit this form together with Annex A to DSWD MIMAROPA Region -BAC Secretariat at 2nd Floor 1680 F.T. Benitez corner Malvar Sts., Malate, Manila or email to: procurement.fomimaropa@dswd.qov.ph not later than 5:00 PM on October 26, 2023 (Thursday). Quotations submitted to different email address(es) as stated above shall not be considered for evaluation. Please indicate in the subject of your email the title of the Project using this format. IRFQ Number ], [Deadline of Submission]. HARVY ve Officer V Administr nt Section Head Terms and Conditions: x total quoted price 1. Award shall be made on peritem basis lot basis 2. Price Validity shall be valid until: One Hundred Twenty (120) Calendar days Twenty (20) Calendar Days upon receipt of Approved Purchase Order (PO) Services shall be delivered on: See attached Annex A 4. Place of Delivery: within 15-30 days upon final inspection and acceptance 5. Terms of Payment: Payment through LDDAP-ADA (List of Due and Demandable Accounts Payable- Advice to Debit Account) Account Name: Account Number : Bank Name: Branch: \*\*Note: Non Land Bank of the Philippines accounts shall be charged a service fee In case of failure to make full delivery within the time specified above, 6. Liquidated Damages/Penalty: the amount of the liquidated damages shall be at least equal to one-tenth of one percent (0.001) of the cost of the unperformed portion for every day of delay shall be imposed. Once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of contract, the Procuring Entity may rescind or terminate the contract without prejudice to other courses of action and remedies available under the circumstances. For goods please indicate brand, model and country of origin. 8. In case of discrepancy between unit cost and total cost, unit cost shall prevail. 9. Please indicate warranty: "Prospective supplier must be registered at the Philippine Government Electronic Procurement System 10. NOTE: (PhilGEPS), You may visit the PhilGEPS website at www. philgeps.gov.ph to register DAVE T. CORCORO Signature Over Printed Name

(Supplier)

Procurement Officer
Telefax: 5328-5111 to 5115 loc. 24052

# DSWD MIMAROPA REGION

# DEPARTMENT OF SOCIAL WELFARE AND DEVELOPMENT Field Office MiMaRoPa Region 1680 F.T. Benitez corner Malvar Sts., Malate, Manila

			ctronic Procurement System (PHILGEPS). You may PS website at www.philgeps.gov.ph to register	RFQ No.: 2023-10-1315 NP-SVP  Date: (should be filled up by supplier)		
					( should be filled up	by supplier )
	any N		<u>:</u>	MOP: NP-SVP		
omp	any A	ddress				
nta	ect Per	son	*			
onta	ect No.	8				
mail	Addre	ess	÷			
omr	any T	IN	<del></del>			
09000		leg. No.	φ			
mo	EF3 N	eg. No.				
				Bidder's Specifications (Please fill out the specifications in		
em lo.	Qty.	Unit		the space provided) NOTE: Supplier must state here either the statement of compliance either "COMPLY" or "NOT COMPLY", Failure to indicate information could be basis	Unit Cost	Total Cost
1	5	unit	ORBIT FAN, 16 inches	for non-compliance"		
2	5		WALL FAN			
3	6		CEILING FAN			
4	5		TELEVISION SET, 43 inches (Smart LED)			
5	1		SOUND SYSTEM WITH MICROPHONE			
7	1	1000	AIRCONDITIONING UNIT (SPLIT TYPE) 1.7HP FREEZER CHEST TYPE, 8.8 cu. Ft., inverter			
8	2		WASHING MACHINE, Top load			
9	2		ELECTRIC KETTLE, 5 Liters			
10	2		THERMOS, 5 Liters			
11	2		GAS STOVE BURNER, 2 Burner			
12	5		MINI STOVE, Portable MINI OVEN			
14	2	74.	ELECTRIC OVEN, 90 Liters			
• •		unit				
			Note: See attached distribution list and full specifications of each item		Telephii I	
			>>>> NOTHING FOLLOWS <<<<<			
-			Date of Delivery: Twenty (20) calendar days upon receipt of approved		7-1-1-1-6	
			Purchase Order (PO)			
			Area of Delivery:			
			> BAHAY PAG-ASA YOUTH CENTER (BPYC)			
			Palawan Agricultural Center, Irawan, Puerto Princes City, Palawan			
-		-	> BAHAY PAG-ASA PUERTO PRINCESA CITY (BPA PPC)		-	
	-		Purok Paglaun IV, Brgy, Mangingisda, Puerto Princes City, Palawan			
			> BOAC BAHAY PAG-ASA (BPA BOAC)			
			Tabi, Boac, Marinduque			
	-		> PROVINCIAL GOVERNMENT OF MARINDUQUE (BPA MARINDUQUE)			
			Brgy, Bangbangalon, Boac, Marinduque			
Ξ			> BAHAY PAG-ASA SABLAYAN (BPA SABLAYAN)			
		-	Sitio Mapagmahal, Brgy. Sto. Niño, Sablayan, Occidental Mindoro			
-	-		> BAHAY PAG-ASA SAN JOSE (BPA SAN JOSE)			
		-	Brgy, Mangarin, San Jose, Occidental Mindoro	Topological Company		
					4.0	
		-	Contact Person: MR. ANTHONY T. MATE			
	-	-	Contact Number: 0926-635-7446			
			TOTAL APPROVED BUDGET FOR THE CONTRACT			
			Two Hundred Fifty-Two Thousand Pesos Only	D		
	3-10		(Php 252,000.00)	Note: Please specify brand		
Ξ			DAOF 1.051	model/origin.		
			PAGE 1 OF 1			

(Signature over printed name) Supplier

#### **ORBIT FAN**

16" (405mm) fan blade

Motor: 65W 3 speed

Fan speed: 1,465 RPM

Wall mounted rotary switch box

360o oscillation With thermal fuse

With sealed bearing type motor

#### WALL FAN

16" (405mm) fan blade

Motor:65W

3 speed

Fan speed: 1,385 RPM

# **CEILING FAN**

16" (405mm) fan blade

Motor: 65W 3 speed

Fan speed: 1,465 RPM

Wall mounted rotary switch box

360o oscillation With thermal fuse

With sealed bearing type motor

# SOUND SYSTEM WITH MICROPHONE

# Specification

Built in amplifier

Built in MP3 player with FM/ REC

Built in 2 CH VHF wireless microphone

Built in microphone holder

With voice priority function

Power handling: 250 W

Tweeter: (10" x 6") x 1

Woofer: 10" x 1 Sensitivity: 97 dB

Frequency range: 40 Hz - 20 kHz

Power source : AC 220 - 240 V 50/ 60 Hz Dimension (W x D x H) : 320 x 280 x 460 mm

#### **42 INCH TELEVISION**

#### FEATURES:

- 42" Display
- Full HD 1080P
- 1920 x 1080 Resolution
- HDR
- Smart Android
- Android Pie 9.0
- Dolby Digital Decoding

# ADDITIONAL FEATURES:

- Google Assistant
- Google Playstore / Any Content
- Netflix & YouTube (One-Touch)
- Google Chromecast Built-In

#### SPECS:

- (4) HDMI Outputs
- HDMI ARC Ready

#### DIMENSIONS:

- L x W x H (cm): 95.1x 55 x 8.2 cm
- Gross Weight (kg): 10.9kg

# SOUND SYSTEM WITH MICROPHONE

#### Specification

Built in amplifier

Built in MP3 player with FM/ REC

Built in 2 CH VHF wireless microphone

Built in microphone holder

With voice priority function

Power handling: 250 W

Tweeter: (10" x 6") x 1

Woofer: 10" x 1 Sensitivity: 97 dB

Frequency range: 40 Hz - 20 kHz

Power source : AC 220 - 240 V 50/60 Hz Dimension (W x D x H): 320 x 280 x 460 mm

### **ELECTRIC KETTLE**

Material

Stainless Steel & ABS

Handle Material

Plastic

Capacity

5L

Auto Switch Off

Yes

Power

Power: 1000 W

Voltage: 220 V

Weight

850 g

Suitable For

This kettle should be used for water boiling

#### THERMOS

Details
3-way dispense
Auto pump, manual pump and cup-touch
Quality bottom heating
Dry boil safety protection
stainless steel inner pot
Detachable lid
360-degree rotary base

Specifications
Power: 750 Watts
Voltage: 230V a.c.
Frequency: 60Hz
Capacity: 5 Liters

#### FREEZER CHEST TYPE

#### **FEATURES:**

- 8.8 cu. ft.
- Inverter
- Chest Type
- Manual Defrost
- LED Light
- Wire Basket
- Removable Gasket
- Color: White
- Up to 40% Savings
- 3-in-1 Function (Chilling, Freezing, Fast Freezing)
- R600a Refrigerant

#### DIMENSIONS:

- Net Weight: 36kg
- Gross Weight(kg): 41.50kg
- Net (Unit) L x W x H(cm): 60 x 100 x 84cm
- Gross (With Box) L x W x H(cm): 62 x 102 x 89cm

#### SPECS:

- Net Volume (L): 236 L
- Gross Volume (L): 248 L
- Input Voltage: 230 V
- Power Consumption: 83 W
- Frequency (Hz): 60 Hz

# WASHING MACHINE TOP LOAD

#### FEATURES:

- 9 kg Load Capacity
- Fully Automatic
- Micro Computer Control Panel
- 230 V- 60 Hz
- 3 Prong Plug
- Top-Load
- Plastic Body
- 10 Wash Program
- Belt Drive Motor
- Low Water Pressure Valve
- Lid Damper
- Color: Dark Grey/Black
- Power Consumption: 325 W
- RPM: 720

#### SPECS:

- RPM: 720
- Power Consumption (W) 325 W

#### DIMENSIONS:

- Net Weight(Unit)(kg): 36 kg
- Gross Weight(With Box)(kg): 41 kg
- Net Dimensions (L x W x H) (cm): 58.7 x 61.8 x 101.3 cm
- Parcel Size (L x W x H) (cm): 64 x 64 x 103.5 cm

### AICONDITIONING UNIT SPLIT TYPE

- Split Type Inverter Clean Cool+ Series
- 1.7 HP
- Split-Type Inverter
- With Remote
- Self Clean Function

#### SPECS:

- . Cooling Capacity: 10,988 (kJ/h)
- AirOcirculation 600
- Moisture Removal 1.60
- EER: 13.5
- Refrigerant: R410A

# ADDITIONAL FEATURES:

- 63% Energy Saving Faster and more powerful with energy saving of up to 63%.
- Durable PCB and Stable Operation
- PM 2.5 Elimination
- Turbo Mode 47% Faster Cooling in Malaysian Heat. Reach the temperature that
  you set faster, even in the warm Philippine climate.
- Self Clean Freezes the evaporator with moisture in the air, and removes away dirt in melting, to ensure clean air out of Haier air conditioners. Kills up to 99.9% bacteria for clean and healthy air with nano silver ion coating.
- Hyper PCB More stable. More durable. Provides consistent, powerful cooling with optimized design to cope with voltage fluctuations and unexpected damages that may lead to malfunction of the air conditioner.

# **DIMENSIONS:**

- Indoor Gross Weight (kg): 11kg
- Outdoor Gross Weight (kg): 30.5kg
- Indoor Gross Dimensions (LxWxH)(cm): 82 x 19.5 x 28cm
- Outdoor Gross Dimensions (LxWxH)(cm): 80 x 27.5 x 55.3cm

#### GAS STOVE BURNER

Description

GLASS TOP PANEL DOUBLE BURNER GAS STOVE

Automatic Ignition System

Doble burner

Elegant glass top panel

Safe and efficient

Easy to clean, removable pan holder

Vortex flame design

Dimension: 712x381x77mm

#### MINI STOVE PORTABLE

Description:

UNION PORTABLE GAS STOVE WITH FREE CARRY-ON

**HARDCASE** 

2 in 1 portable gas stove

Compatible with standard butane 250g cartridge and regular LPG

tank

Compact and lightweight

Specifications:

Built-in fuel lock for safety

Cast-iron burner

Great for indoor (hotpots) and outdoor cooking

Automatic piezo ignition system

Product

Dimensions:

11 x 13.3 x 3.1 in (LxWxH)

# MINI OVEN



60-MINUTE TIMER



UP TO 250°C TEMPERATURE



43-LITER CAPACITY



HEATER CONTROL KNOB



Cook conveniently with this Electric Oven right on your countertop! Its 43-liter capacity allows you to prepare large meal portions with enough room for your roasting, grilling or baking needs. This kitchen appliance is equipped with three (3) heating modes—the lower heating mode is where all the heat is focused at the bottom of the oven, the upper heating mode is where all the heat comes from the top, and the double heating mode allows you to generate heat from top to bottom. It also has ratisserie function great for cooking meat. Set the timer up to 80 minutes without any worries. Let's get cookin' with the 43L Electric Oven!

# Electric Oven - 90 liters specifications

- 90 liters capacity
- 250°C temperature control
- 60 min. timer with bell ring
- · With convection & rotisserie function
- Inner light/Indicator lamp
- Heater selector switch
- · Tempered glass door
- · Stainless steel heating elements
- 5 stages of switch heating and function selector
  Accessories: bake tray 52.6 x 36.2 cm
- 685x454x426mm
- inner dimension: 515x415x330mm
- baking racks, tray/rack handle, rotisserie stick and rotisserie forks

SUBSIDIES	BPA PPC BPYC	врус	BPA BOAC	BPA MARINDUQUE	BPA SABLAYAN	BPA SAN JOSE	TOTAL
Appliances							
Orbit Wall Fan 16inches	G						5
A A A A A A A A A A A A A A A A A A A			0	ω			Çī
Wall Fan Tolinches							0
Ceiling fan 40 inches					0		0
Television set (42inch Smart LED)		6		•	8		o
Sound system with microphone					8		
oisopplitioning unit split type					4		_
Construction (8 8 cut inverter)							_
The second of th			3				2
Washing Machine front load 5cubic ft			7				3
Electric Kettle (5liters)			2				
Thermos (5liters)			2				N
Gas Stove Burner (2burner)			2				2
Mini stove ( portable)				O1			O
				5			5
Mini Oven						0	_

Prepared by:

Reviewed by:

Noted by:

Rosa Fet B', Roxas SWO III/ Team Leader

Administrative Assistant III

Anthony T. Mater
Administrative Assistant I

Boac Bahay Pag-Asa (BPA BOAC) Tabi, Boac, Marinduque

BAHAY PAG-ASA YOUTH CENTER (BPYC)

Palawan Agricultural Center, Irawan, Puerto Princesa City

Provincial Government of Marinduque (BPA MARINDUQUE)

Brgy Bangbangalon, Boac, Marinduque

Bahay Pag Asa Puerto Princesa City (BPA PPC)
Purok Paglaun IV, Brgy Mangingisda, Puerto Princesa City

Bahay Pag Asa Sablayan (BPA Sablayan)
Sitio Mapagmahal, Brgy Sto. Nino, Sablayan, Occidental Mindoro

Bahay Pag Asa San Jose (BPA San Jose)
Brgy Mangarin, San Jose Occidental Mindoro